



PS Flooring Accessories



PS FLOORING ACCESSORIES

Effortlessly transform spaces with paintable elegance. Our waterproof accessories adapt to any palette, blending seamlessly into kitchens, bathrooms, and living areas. Crafted from eco-friendly materials, they marry durability with sustainability, resisting wear while honoring the planet. Designed for discerning aesthetics, these trim accessories elevate spaces into curated artistry—a silent ode to modern living. For designers and homeowners, they are not just functional boundaries but the final stroke of environmental consciousness.




MULTIPLE
FINISHES


PS Floor Skirting provides a clean, modern finish where the floor meets the wall. Lightweight, durable, waterproof and termite-proof, it helps conceal expansion gaps and wall imperfections while protecting the edges of your flooring. Pre-finished for easy installation, it delivers a professional finish without painting or additional treatment.

SKIRTING BOARDS



SKIRTING BOARDS

SKIRTING BOARDS





80MM – 2.7M




Color swatches


White




Natural Walnut



Natural Oak




Chocolate Oak




Limed Oak




Light Grey Oak



Grey Oak



*Can be used on multiple floor finishes (Ceramic tiles, Wood, SPC Vinyl, Laminate etc)



*Can be used on multiple floor finishes (Ceramic tiles, Wood, SPC Vinyl, Laminate etc)



100MM – 2.7M




Color swatches

White




Natural Walnut



Natural Oak




Chocolate Oak




Limed Oak



Light Grey Oak




Grey Oak



*Can be used on multiple floor finishes (Ceramic tiles, Wood, SPC Vinyl, Laminate etc)




42MM – 2.7M



Color swatches


Natural Walnut



Natural Oak




Chocolate Oak




Limed Oak



Light Grey Oak




Grey Oak



TRANSITION
TRANSITION
TRANSITION



27MM – 2.7M




QUARTER ROUND

QUARTER ROUND

Color swatches

White




Natural Walnut



Natural Oak



Chocolate Oak




Limed Oak



Light Grey Oak




Grey Oak



REDUCER REDUCER REDUCER

Color swatches


Natural Walnut



Natural Oak




Chocolate Oak




Limed Oak



Light Grey Oak



Grey Oak



45MM – 2.7M

45



11

Ultrabond Super Grip



DON'T — Press the Bead While Dispensing. Apply SuperGrip from the nozzle without pressing the bead. The bead is designed to activate under pressure.



DO — Activate Against the Wall Position the skirting against the wall and press firmly into place. This pressure activates the adhesive bead.



Ultrabond Super Grip is the high-tack acrylic adhesive built for fast, secure installation across the job site


What it bonds

PVC • Rubber • Wood • Gypsum • Polystyrene • Metal (Baseboards, trims, panels, cable trunking & more)


Why Pros Choose It

-  Ultra high tack for instant vertical hold — no support needed, no mess, no cleanup, no holding time.
-  Perfect for flooring accessories, joinery, door frames, cabinetry — even permanent flooring installs.
-  1 Tube (310 ml cartridge) can install upto 15 LM.


INSTALLATION OF SKIRTING BOARDS







Circular Saw



Tape Measure



Nail-free Glue



Once the skirting is pressed against the wall, maintain firm pressure for 10 seconds to allow the adhesive to activate and bond securely.

10

COMMON FLOORING PROBLEMS WE SOLVE

Traditional finishing methods can create unnecessary challenges for customers, contractors and installers.

— 100% WATERPROOF

PS accessories are designed to withstand moisture, making them suitable for areas where conventional MDF skirting can swell, deteriorate or rot.

— A CLEANER, MORE PROFESSIONAL FINISH

Pre-finished PS profiles deliver a modern, consistent appearance without the rough or exposed edges often associated with cut ceramic skirting.

— HIDE EXPANSION GAPS & IMPERFECTIONS


Pre-finished PS profiles deliver a modern, consistent appearance without the rough or exposed edges often associated with cut ceramic skirting.




Heavy Profiles



Interior



Porous Surface



Dry Surface



310 ML



Customer Service
interiors@antarc-ke.com

0733 503 500 | 0734 503 500
No 62, Muthithi Road, Westlands



Antarc Interiors

www.antarc-ke.com